20

5

## **CLAIMS**

- 1. A method for diagnosis and prognosis of cancer in a subject comprising:
  - (a) detecting at least one S100 protein selected from the group consisting of S100-AG, S100-A7, S100-A8 and S100-A9 in a biological fluid sample derived from a subject; and
  - (b) comparing the level of protein detected in the subject's sample to the level of protein detected in a control sample,

wherein an increase in the level of S100 protein detected in the subject's sample as compared to a control sample is an indicator of a subject with cancer.

- 2. The method of Claim 1 wherein the S100 protein is detected using an immunoassay.
- 3. The method of Claim 2 wherein the immunoassay is an immunoprecipitation assay.
  - 4. The method of claim 1 wherein the sample is a serum sample.
  - 5. The method of claim 1 wherein the cancer is lung cancer.
  - 6. The method of claim 1 wherein the cancer is breast cancer.
  - 7. The method of claim 1 wherein the cancer is colon cancer.
  - 8. A method for diagnosis of a subject with cancer comprising:
    - (a) contacting a serum sample derived from a subject with a sample containing S100 protein antigens under conditions such that a specific antigen-antibody binding can occur; and

(b) detecting immunospecific binding of the autoantibodies to the S100 protein in the subject's serum sample, wherein the presence of autoantibodies indicates the presence of cancer.

- 9. The method of Claim 8 wherein the step of detecting the
  autoantibodies in the subject's serum sample comprises the use of a signal-generating
  component bound to an antibody that is specific for antibodies in the subject's serum
  sample.
  - 10. The method of Claim 9 wherein the presence of autoantibodies in the serum sample is measured by an immunoassay comprising:
    - (a) immobilizing one or more S100 protein onto a membrane or substrate;
    - (b) contacting the membrane or substrate with a subject's serum sample; and
    - (c) detecting the presence of autoantibodies specific for the S100 protein in the subject's serum sample,

wherein the presence of autoantibodies indicates the presence of cancer.

- 11. The method of claim 8 wherein the cancer is lung cancer.
- 12. The method of claim 8 wherein the cancer is breast cancer.
- 20 13. The method of claim 8 wherein the cancer is colon cancer.
  - 14. A kit for diagnosis and prognosis of cancer in a subject comprising a component for detecting the presence S100 protein in a biological sample.

10

15

5

10

- 15. The kit of claim 14 wherein the component for detecting S100 protein is an anti-S100 antibody.
- 16. The kit of claim 15 wherein the anti-S100 antibody is labeled.
- 17. The kit of claim 16 wherein the label is a radioactive, fluorescent, colorimetric or enzyme label.
  - 18. The kit of claim 15 further comprising a labeled second antibody that immunospecifically binds to the anti-S100 antibody.
  - 19. A kit for diagnosis and prognosis of cancer in a subject comprising a component for detecting the presence of S100 autoantibodies in a sample.
  - 20. The kit of claim 19 wherein the component is an S100 antigen.
  - 21. The kit of claim 20 wherein the S100 antigen is labeled.
  - 22. The kit of claim 20 wherein the S100 antigen is linked to a solid phase.
  - 23. The kit of claim 19 further comprising a component for detection of the S100 auto antibody.
  - 24. A method of immunizing a host against an S100 protein, S100 derived peptide or differentially modified S100 protein, comprising inoculating the host with an S100 antigen in a physiologically acceptable carrier, wherein immunization results in a production of antibodies directed against said S100 antigen.

20

15

10

- 25. The method of claim 24 wherein the host is suffering from a disease characterized by the overproduction of S100 protein.
- 26. The method of claim 25 wherein the disease is cancer.
- 27. The method of claim 26 wherein the cancer is lung cancer.
- 5 28. The method of claim 26 wherein the cancer is breast cancer.
  - 29. The method of claim 26 wherein the cancer is colon cancer.
  - 30. The method of claim 24 wherein the S100 protein is selected from the group consisting of S100-AG, S100-A7, S100-A8 and S100-A9.
  - 31. A composition for immunizing a host comprising at least one S100 protein and an adjuvant.
  - 32. The composition of claim 31 wherein the S100 protein is selected from the group consisting of S100-AG, S100-A7, S100-A8 and S100-A9.